

<b>2'-Deoxy-4'-C-ethynyl-2-fluoroadenosine: A nucleoside reverse transcriptase inhibitor with highly potent activity against all HIV-1 strains, favorable toxic profiles and stability in plasma</b> H. Ohrui, S. Kohgo, H. Hayakawa, E. Kodama, M. Matsuoka, T. Nakata and H. Mitsuya	1-2	<b>Structural effect of cationic copolymers on nucleic acid-chaperoning activity</b> K. Takada, S. W. Choi, A. Yamayoshi, A. Kano and A. Maruyama	27-28
<b>The first synthesis of 1'-fluoronucleosides</b> T. Kodama, A. Matsuda and S. Shuto	3-4	<b>Synthesis of synthetic small molecule transcription factors (STF)</b> A. Sato, Y. Kawazoe, S. Kamisuki and M. Uesugi	29-30
<b>Convenient synthesis of 3',5'-cyclic diguanlylic acid (cdiGMP)</b> H. Yan and E. Humes	5-6	<b>Substrate property and incorporation accuracy of various dATP analogs during enzymatic polymerization using thermostable DNA polymerases</b> M. Kuwahara, Y. Suto, S. Minezaki, R. Kitagata, J. Nagashima and H. Sawai	31-32
<b>A strategy for selective N-acylation of purine and pyrimidine bases of deoxy and ribo nucleosides</b> R. Mishra, S. Mishra, V. Diwedi and K. Misra	7-8	<b>An unnatural base pair system for in vitro replication and transcription</b> I. Hirao, M. Kimoto, T. Mitsui, T. Fujiwara, R. Kawai, A. Sato, Y. Harada and S. Yokoyama	33-34
<b>Chemical synthesis of RNA including 5-taurinomethyluridine</b> T. Ogata and T. Wada	9-10	<b>Flexizyme as a versatile tRNA acylation catalyst and the application for translation</b> H. Murakami, A. Ohta, Y. Goto, Y. Sako and H. Suga	35-36
<b>A novel RNA synthetic method with a 2'-O-(2-cyanoethoxymethyl) protecting group</b> Y. Shiba, H. Kitagawa, Y. Masutomi, K. Ishiyama, T. Ohgi and J. Yano	11-12	<b>Efforts toward codon table engineering: Expansion of unnatural substrates acceptable by the <i>E. coli</i> ribosome</b> S. Sando, K. Abe, N. Sato, T. Shibata, K. Mizusawa and Y. Aoyama	37-38
<b>Synthesis of 2',4'-BNA<sup>COC</sup> bearing a purine nucleobase</b> Y. Mitsuoka, R. Ohnishi, Y. Hari, S. Obika and T. Imanishi	13-14	<b>Multiplex formation of repetitive sequences d([G]<sub>n</sub>A)<sub>m</sub> through non-WC pairings: Crystal structure of d(gcGAGGGAgc)</b> Y. Sato, K. Mitomi, H. Sugiyama, S. Shimizu, E. C. M. Juan, J. Kondo and A. Takénaka	39-40
<b>New designs for DNA bases: Expanded DNAs and oligofluorosides</b> E. T. Kool, H. Lu, S. J. Kim, S. Tan, J. N. Wilson, J. Gao and H. Liu	15-16	<b>A crystal structure study when crystallized only in d(CG)<sub>3</sub> + methylamine and a d(CG)<sub>3</sub> + metal ion</b> H. Ohishi, T. Ishida, K. Tsukamoto, N. Maezaki and T. Tanaka	41-42
<b>A ribonucleoside with pyrimido[4,5-d]pyrimidine-2,4,5,7-(1H,3H,6H,8H)-tetraone as a nucleobase, which universally binds to natural nucleosides</b> K. Kuroda, H. Kodama, M. Kataoka and Y. Hayakawa	17-18	<b>NMR studies of the effect of GA-AG base pairs to the active conformation of hammerhead ribozyme</b> M. Amano	43-44
<b>Synthesis of fluorescent cyclic cytosine nucleosides and their fluorescent properties upon incorporation into oligonucleotides</b> M. Mizuta, K. Miyata, K. Seio, T. Santa and M. Sekine	19-20	<b>The new models of the human telomere DNA in K<sup>+</sup> solution revealed by NMR analysis assisted by the incorporation of 8-bromoguanines</b> A. Matsugami, H. Tsuchibayashi, Y. Xu, Y. Noguchi, H. Sugiyama and M. Katahira	45-46
<b>Fluorescence detection of 8-oxoguanosine by G-clamp derivatives</b> O. Nakagawa, S. Ono, A. Tsujimoto, Z. Li and S. Sasaki	21-22	<b>Structural analyses on the mercury<sup>II</sup>-mediated T-T base pair</b> Y. Tanaka, S. Oda, H. Yamaguchi, M. Kudo, Y. Kondo, C. Kojima and A. Ono	47-48
<b>Preparation of diverse metal binding sites along the helical structure of duplex DNA</b> K. Sugiyama and A. Ono	23-24		
<b>Structure analysis of oligonucleotide in organic solvent</b> H. Abe, N. Abe and Y. Ito	25-26		

<b>Kinetic analysis of ribosome binding process onto mRNA using a quartz-crystal microbalance</b> S. Takahashi, R. Akita, H. Furusawa, Y. Shimizu, T. Ueda and Y. Okahata	49–50	<b>Synthesis and properties of double-stranded antisense oligonucleotides connected with a pentaerythritol linker</b> A. Shibata, Y. Ueno, A. Matsuda and Y. Kitade	73–74
<b>Strategies for crystallization of protein/DNA bound complex by in situ phosphorylation of aspartic residue using 5'-phosphorylated-DNA</b> K. Grzeskowiak	51–52	<b>RNA recognition and recognition control of <math>\alpha</math>-peptide ribonucleic acids containing arginine residue by external factors</b> T. Wada, Y. Maeda, N. Sawa, H. Sato, S. Futaki and Y. Inoue	75–76
<b>Nucleotides and nucleic acids: A source of inspiration for the development of new, phosphorus-centered functional groups</b> C. Lopin, G. Garipova, I. Kalinina, P. Raboisson, T. Osaki, A. Gautier, S. Balieu, C. Salcedo, G. Gouhier and S. R. Piettre	53–54	<b>Identification of antisense RNA stem-loops that inhibit RNA-protein interactions using a bacterial reporter system</b> A. Yano, M. Kunimoto, T. Minami and K. Harada	77–78
<b>Sugar modification as a means to increase the biological performance of oligonucleotides</b> C. J. Leumann	55–56	<b>HIV gene therapy using RNA virus systems</b> M. Hayafune, N. Miyano-Kurosaki, A. Kusunoki, Y. Mouri and H. Takaku	79–80
<b>Synthesis of deoxycytidine derivatives and their use for the selective photo crosslinking with 5-methylcytosine</b> H. Taguchi, A. Ohkubo, K. Seio and M. Sekine	57–58	<b>The roles of cosolutes on the hammerhead ribozyme activity</b> H. Karimata, S.-i. Nakano and N. Sugimoto	81–82
<b>Synthesis and cross-linking activities of oligodeoxynucleotides containing a 4-oxoalkenal group</b> A. Kobori, T. Kobuchi, M. Ikeda and A. Murakami	59–60	<b>Regulation of DNA duplex formation by hypoxic irradiation: one-electron reduction characteristics of oligodeoxynucleotides possessing 2-oxoalkyl functional group</b> K. Tanabe, H. Kanezaki, N. Hirata, M. Goto and S.-i. Nishimoto	83–84
<b>Synthesis of oligonucleotides containing the Dewar valence isomer of the (6–4) photoproduct and their application to (6–4) photolyase studies</b> J. Yamamoto, K. Hitomi, T. Todo and S. Iwai	61–62	<b>Incorporation of methyl group on azobenzene for the effective photo-regulation of hybridization and suppression of thermal isomerization</b> H. Nishioka, H. Kashida, M. Komiyama, X. Liang and H. Asanuma	85–86
<b>Design, synthesis and structural analysis of novel bent DNAs containing cyclic uridylylate dimer analogues</b> S. Murata, Y. Mizumura, S. Ichikawa and A. Matsuda	63–64	<b>Control of DNA hybridization by photoswitchable mismatch binding ligands</b> C. Dohno, S.-n. Uno and K. Nakatani	87–88
<b>Ribonucleome analysis identified enzyme genes responsible for wybutosine synthesis</b> A. Noma and T. Suzuki	65–66	<b>Detection of C:C mismatch base pair by fluorescence spectral change upon addition of silver (I) cation: Toward the efficient analyses of single nucleotide polymorphism</b> H. Torigoe, T. Kozasa and A. Ono	89–90
<b>High-throughput method for the prediction of low-resolution, three-dimensional RNA structures</b> M. Popena, Ł. Bielecki and R. W. Adamiak	67–68	<b>Use of abasic site-containing DNA for electrochemical SNPs detection</b> K. Morita, S. Nishizawa and N. Teramae	91–92
<b>Does urea promote the bisulfite-mediated deamination of cytosine in DNA? Investigation aiming at speeding-up the procedure for DNA methylation analysis</b> H. Hayatsu, K. Tsuji and K. Negishi	69–70	<b>Electrochemical detection of DNA single base mismatch by the use of strand exchange reaction</b> S. Kumamoto, A. Maruyama, M. Nakamura and K. Yamana	93–94
<b>Synthesis and ribonuclease activity of oligonucleotides with <math>N^3</math>-terpyridine•Cu(II)-linked thymine residues</b> K. Hara, M. Kitamura and H. Inoue	71–72	<b><i>Ab initio</i> DNA synthesis accelerated by endonuclease</b> X. Liang, B. C.-Y. Li, K. Jensen and M. D. Frank-Kamenetskii	95–96

<b>Structural property and enzymatic response of oxanine in DNA strands</b> S. P. Pack, A. Doi, M. Nonogawa, N. K. Kamisetty, K. C. Devarayapalli, T. Kodaki and K. Makino	97–98	<b>Synthesis and properties of artificial base pairs by use of halogen bonds</b> R. Tawarada, K. Seio and M. Sekine	121–122
<b>Mutagenic properties of oxidized GTP and ATP in <i>in vitro</i> transcription-reverse transcription</b> H. Kamiya, A. Suzuki, K. Kawai, H. Kasai and H. Harashima	99–100	<b>Solid-phase synthesis of stereoregulated oligodeoxyribonucleoside phosphorothioates</b> N. Oka, M. Yamamoto, T. Sato and T. Wada	123–124
<b>Proteome and transcriptome analysis of 5-fluoro-2'-deoxyuridine-induced cell death mechanisms</b> A. Sato, E. Miyazaki, A. Satake, A. Hiramoto, O. Hiraoka, T. Miyake, H.-S. Kim and Y. Wataya	101–102	<b>Nucleotide insertion opposite a cyclobutane pyrimidine dimer analogue caused from photoligation by a replicative DNA polymerase</b> M. Ogino, D. Okamura, Y. Yoshimura and K. Fujimoto	125–126
<b>An apoptotic pathway of 3'-Ethylnylcytidine(ECyd) involving the inhibition of RNA synthesis mediated by RNase L</b> T. Naito, T. Yokogawa, H.-S. Kim, A. Matsuda, T. Sasaki, M. Fukushima, Y. Kitade and Y. Wataya	103–104	<b>Evaluation of novel one-electron reduction with metal in DNA</b> K. Tanaka, T. Kamei and A. Okamoto	127–128
<b>Colorimetric allele analysis based on the DNA-directed cooperative formation of luminous lanthanide complexes</b> Y. Kitamura, T. Ihara, Y. Tsujimura, Y. Osawa and A. Jyo	105–106	<b>Development of bipyridine-modified nucleobase for methylcytosine-selective crosslink reaction</b> K. Tainaka, K. Tanaka and A. Okamoto	129–130
<b>Linker chain effect of ferrocenylnaphthalene diimide derivatives on a tetraplex DNA binding</b> S. Sato, H. Kondo and S. Takenaka	107–108	<b>Synthesis and properties of novel PRODAN-labeled uridine</b> K. Tainaka, S. Ikeda, K. Tanaka, K.-i. Nishiza, T. Unzai, A. Okamoto and I. Saito	131–132
<b>Highly efficient strand invasion by peptide nucleic acid bearing optically pure lysine residues in its backbone</b> Y. Yamamoto, J. Yoshida, T. Tedeschi, R. Corradini, S. Sforza and M. Komiyama	109–110	<b>Development of novel PRODAN-labeled nucleosides as base-discriminating fluorescent probes</b> K. Tainaka, S. Ikeda, K. Tanaka, K.-i. Nishiza, Y. Fujiwara, A. Okamoto and I. Saito	133–134
<b>The biological impact of sequence-specific DNA alkylation by pyrrole-imidazole polyamides</b> S. Sasaki, M. Minoshima, T. Shimizu, J. Fujimoto, K.-i. Shinohara, T. Bando and H. Sugiyama	111–112	<b>Development of fluorescence-labeling method for methylcytosine with metal complexation</b> K. Tanaka, K. Tainaka, T. Kamei and A. Okamoto	135–136
<b>Anti-SARS-CoV activity of nucleoside analogs having 6-chloropurine as a nucleobase</b> M. Ikejiri, M. Saijo, S. Morikawa, S. Fukushi, T. Mizutani, I. Kurane and T. Maruyama	113–114	<b>Photochemical evaluation of dual fluorescence of a novel DNA groove binder</b> K. Tanaka, K. Tainaka, S. Fujishima and A. Okamoto	137–138
<b>Nucleophilic substitution of 4'-acetoxy-4'-thionucleosides: A new access to 4'-substituted 4'-thiothymidines</b> K. Haraguchi, H. Shimada and H. Tanaka	115–116	<b>Fluorescence quenching by methylcytosine-metal complexation</b> K. Tanaka, K. Tainaka and A. Okamoto	139–140
<b>Synthesis of novel 4'-carbon-substituted BCA derivatives based on radical cyclization</b> H. Kumamoto, N. Takahashi, T. Shimamura and H. Tanaka	117–118	<b>Development of electrochemical detection for methylcytosine and its application</b> K. Tanaka, K. Tainaka, T. Kamei and A. Okamoto	141–142
<b>Synthesis of 5''-substituted cyclic ADP-carboacyclic-ribose as biological tools</b> N. Sakaguchi, T. Kudoh, T. Murayama, M. Arisawa, A. Matsuda and S. Shuto	119–120	<b>Novel drug releasing system triggered by hybridization with target sequence</b> S. Nakayama, F. Nagatsugi and S. Sasaki	143–144
		<b>Synthesis and property of DNA labeled with fluorescent acridone</b> T. Hasegawa, A. Shoji, M. Kuwahara, H. Ozaki and H. Sawai	145–146
		<b>Inhibition of DNA replication by a d(CAG) repeat binding ligand</b> M. Hagihara and K. Nakatani	147–148

<b>Detection of photoinduced electron transfer from Sso7d to DNA</b> R. Tashiro, A. H.-J. Wang and H. Sugiyama	149–150	<b>High selectivity detection of point mutation by DNA photochemical cross-linking</b> S. Ogasawara and K. Fujimoto	173–174
<b>Photoinduced repair of a thymine dimer in DNA via carbazole nucleoside</b> Y. Yoshimura and K. Fujimoto	151–152	<b>Synthesis and properties of modified siRNA having amide-linked oligoribonucleosides at their 3' overhang regions</b> R. Iwase, H. Miyao, T. Toyama and K. Nishimori	175–176
<b>Hybridization properties and enzymatic recognitions of Naphthyridine: Imidazopyridopyrimidine base pairs</b> S. Ogata, K. Kuramoto, N. Inoue, N. Minakawa and A. Matsuda	153–154	<b>Synthesis and properties of G-quartet oligonucleotide-HIV-1 tat peptide conjugate</b> T. Kumashiro, T. Otake, T. Kawahata, M. Akagi and H. Urata	177–178
<b>Synthesis and evaluation of sequence-specific DNA alkylating agents: Effect of alkylation subunits</b> T. Shimizu, S. Sasaki, M. Minoshima, K.-i. Shinohara, T. Bando and H. Sugiyama	155–156	<b>Synthesis of perylene-labeled base-discriminating fluorescent (BDF) nucleoside and its fluorescence properties</b> S. S. Bag, Y. Saito, K. Hanawa, K. Hayasi, S. Kodate, I. Suzuka and I. Saito	179–180
<b>Sequence-specific recognition of double-stranded DNA by cooperative strand invasion</b> T. Sugiyama, Y. Imamura, W. Hakamata, M. Kurihara and A. Kittaka	157–158	<b>Synthesis and properties of acridone-labeled base-discriminating fluorescent (BDF) nucleosides</b> Y. Saito, K. Hanawa, S. S. Bag, K. Motegi and I. Saito	181–182
<b>Stereocontrolled synthesis of <i>H</i>-phosphonate DNA</b> N. Iwamoto, T. Sato, N. Oka and T. Wada	159–160	<b>The recognition of higher-order G–quadruplex by chiral cyclic-helicene molecules</b> Y. Xu, S. Yamazaki, H. Osuga and H. Sugiyama	183–184
<b>Recognition of DNA with assembly of minor groove binders mediated by metal complexation</b> T. Kataoka, M. Tanada, I. Onishi and S. Sasaki	161–162	<b>Effects of the modified aromatic ring of WNA on stability of triplex DNA</b> E. Aoki, Y. Taniguchi, M. Togo and S. Sasaki	185–186
<b>Sensitive discrimination between cytosine and 5-methylcytosine in DNA by a modified invader method</b> H. Yamada, K. Tanabe and S.-i. Nishimoto	163–164	<b>Development of DNA-intercalator-polyamine multi-conjugate bearing the ability of the sequence-specific RNA hydrolysis</b> T. Moriguchi, T. Ohike and K. Shinozuka	187–188
<b>Molecular design of DNA alkylating pyrrole-imidazole polyamides with longer recognition sequence</b> M. Minoshima, S. Sasaki, K.-i. Shinohara, T. Shimizu, T. Bando and H. Sugiyama	165–166	<b>Synthesis and properties of DNA oligomers containing 2'-deoxycytidine-<i>N</i>-oxide</b> H. Tsunoda, A. Ohkubo, H. Taguchi, K. Seio and M. Sekine	189–190
<b>Activation of DNA enzyme 10-23 by tethering an intercalator to its backbone</b> H. Hayashi, X. Liang, J. Zhao, M. Komiyama and H. Asanuma	167–168	<b>Effects of various cations on the dynamic and thermodynamics of the dimerization of G-quadruplex DNA</b> H. Mita, Y. Kato, M. Ozawa, T. Fujisaki and Y. Yamamoto	191–192
<b>Photochemical generation of C4'-oxidized abasic site containing oligonucleotide and its amine modification reaction</b> K. Usui, M. Aso, Y. Toguchi, Y. Kakihara, T. Goromaru and H. Suemune	169–170	<b>Self-cleavage of DNA in the presence of metal ions</b> H. Maeda, S. Wada and N. Minoura	193–194
<b>Synthesis and application of new amine-modified oligonucleotides using <i>H</i>-phosphonate chemistry</b> N. K. Kamisetty, S. P. Pack, M. Nonogawa, K. C. Devarayapalli, T. Kodaki and K. Makino	171–172	<b>High-affinity RNA mimicking binding of 2',4'-BNA<sup>NC</sup> towards complementary strands: A comparative study with 2',4'-BNA/LNA</b> S. M. A. Rahman, S. Seki, K. Utsuki, S. Obika, K. Miyashita and T. Imanishi	195–196
		<b>Site-specific binding of chelerythrine to single cytosine and thymine bulges in DNA hairpins</b> L.-P. Bai, Z.-Z. Zhao, Z. Cai and Z.-H. Jiang	197–198

<b>Spectroscopic analysis of Ag<sup>I</sup>-DNA complex</b> S. Oda, T. Komuro, Y. Kondo, A. Ono and Y. Tanaka	199–200	<b>Thermodynamic analyses of the specific interaction between two C:C mismatch base pairs and silver (I) cations</b> H. Torigoe, Y. Miyakawa, N. Nagasawa, T. Kozasa and A. Ono	225–226
<b>Recognition of the base pair-mimic nucleosides by DNA polymerases</b> S.-i. Nakano, Y. Uotani, Y. Sato, H. Oka, K. Uenishi, M. Fujii and N. Sugimoto	201–202	<b>Measurement of circular dichroism and structural chemical research of d(CG)<sub>6</sub> and d(TA)<sub>6</sub></b> Y. Tozuka, Y. Yoshikawa, H. Ohishi, Y. Kobayashi, Z. Da-Yang and K. Nakatani	227–228
<b>Factors regulating thermodynamic stability of DNA structures under molecular crowding conditions</b> D. Miyoshi, H. Karimata and N. Sugimoto	203–204	<b>DNA secondary structure forming at minisatellite repeat unit sequences</b> T. Haku, T. Hibino, H. Fukada, Y. Mishima, I. Yamashita and M. Kato	229–230
<b>The effect of the structure of cosolutes on the DNA duplex formation</b> X.-B. Gu, S.-i. Nakano and N. Sugimoto	205–206	<b>Construction of an artificial ribozyme which ligates an RNA fragment activated by nicotinamide mononucleotide</b> Y. Fujita, H. Furuta and Y. Ikawa	231–232
<b>Properties of long human telomeric DNAs under cell-mimicking conditions</b> H.-Q. Yu, D. Miyoshi and N. Sugimoto	207–208	<b>Development of amber suppressor tRNAs appropriate for incorporation of nonnatural amino acids</b> H. Taira, Y. Matsushita, K. Kojima and T. Hoshida	233–234
<b>Development of DNA-arrayed column for sensitive and selective analysis of DNA</b> K. C. Devarayapalli, S. P. Pack, N. K. Kamisetty, M. Nonogawa, T. Kodaki and K. Makino	209–210	<b>Characterization of the binding of distamycin A to damaged DNA: A comparison with the DNA recognition of the human DDB protein</b> Y. Fujiwara, A. Inase, Y. Kawasaki, S. Yoshikawa and S. Iwai	235–236
<b>Luminescence properties of dual fluorescent pyrene derivatives used as DNA probe molecule</b> S. Kodate, H. Wada, I. Suzuka, A. Okamoto, K. Tainaka, Y. Saito and I. Saito	211–212	<b>Structural analysis of DNA containing (6-4) photoproduct in complex with distamycin A by NMR</b> H. Tsuchibayashi, T. Ohyama, A. Matsugami, T. Nanjo, S. Iwai and M. Katahira	237–238
<b>X-Ray analyses of DNA duplexes stabilized by bicyclic-C residues</b> X. Ma, T. Kurose, E. C. M. Juan, T. Shibata, D. M. Williams and A. Takénaka	213–214	<b>A novel therapeutic approach for genetic diseases by introduction of suppressor tRNA</b> Y. Sako, F. Usuki and H. Suga	239–240
<b>Solid-phase detection of RNA using bispyrene-modified RNA probe</b> T. Sakamoto, A. Kobori and A. Murakami	215–216	<b>Functional role of the cofactor on activation process of L-histidine dependent ribozyme</b> J. Kawakami, C. Maiya and N. Sugimoto	241–242
<b>Crystallization of auto-regulatory A-rich repeats found in the 5'-UTR of human PABP mRNA</b> K. Kikuchi, Y. Sato, E. C. M. Juan and A. Takénaka	217–218	<b>The factors that contribute to the long-term expression of siRNA</b> M. Shiota, Y. Ikeda and R. Wadhwa	243–244
<b>Thermodynamic characterization of the binding of naphthyridines to the AP site-containing DNA duplexes</b> Y. Sato, T. Seino, S. Nishizawa and N. Teramae	219–220	<b>The core domain of <i>Aquifex aeolicus</i> tRNA (m<sup>7</sup>G46) methyltransferase has the methyl-transfer activity to tRNA</b> C. Tomikawa and H. Hori	245–246
<b>Usability of BioCon2 for nucleic acid structures in database</b> S. Fujii	221–222	<b>Amount changes of tRNA modification enzymes in <i>Thermus thermophilus</i> HB8 cells according to culture temperatures</b> C. Iwashita and H. Hori	247–248
<b>Detection of T:T mismatch base pair by fluorescence spectral change upon addition of mercury (II) cation: Toward the efficient analyses of single nucleotide polymorphism</b> H. Torigoe, T. Kozasa and A. Ono	223–224		

<b>Analysis of the interaction between human TLR3 ectodomain and nucleic acids</b> K. Fukuda, T. Tsujita, M. Matsumoto, T. Seya, H. Sakiyama, F. Nishikawa, S. Nishikawa and T. Hasegawa	249–250	<b>Telomerase inhibition by 3'-azido-2', 3'-dideoxynucleoside 5'-triphosphates and telomere shortening in human cultured cells by the corresponding nucleosides</b> T. Yamaguchi, X. Liu, T. Ogawara, M. Inomata and M. Saneyoshi	271–272
<b>Isolation of RNA aptamers against human Toll-like receptor 3 ectodomain</b> T. Watanabe, K. Ito, M. Matsumoto, T. Seya, S. Nishikawa, T. Hasegawa and K. Fukuda	251–252	<b>Isolation of a novel mutant from <i>Bacillus subtilis</i> natto</b> K. Yoshida	273–274
<b>Improvement of binding activity of xylan-binding domain by amino acid substitution</b> T. Sakata, J. Takakura, H. Miyakubo, Y. Osada, R. Wada, H. Takahashi, R. Yatsunami, T. Fukui and S. Nakamura	253–254	<b>Comparison of artificial synthesis methods of gene</b> Y. Tsuchiya, K. Morioka, J. Shirai, K. Yoshida and S. Inumaru	275–276
<b>Highly active artificial restriction enzyme composed of Ce(IV)/EDTA and PNA bearing phosphate group - Relationship between the promotion by phosphate and the structure of invasion complex</b> Y. Aiba, Y. Yamamoto and M. Komiyama	255–256	<b>Efficient incorporation of a nonnatural amino acid into a protein in an insect cell-free translation system</b> Y. Tokuda, M. Taki and M. Sisido	277–278
<b>Analysis of PPAR alpha function in human kidney cell line using siRNA</b> K. Tachibana, N. Anzai, C. Ueda, T. Katayama, T. Kirino, R. Takahashi, D. Yamasaki, K. Ishimoto, T. Tanaka, T. Hamakubo, Y. Ueda, H. Arai, J. Sakai, T. Kodama and T. Doi	257–258	<b>Construction of various mutants of xylose metabolizing enzymes for efficient conversion of biomass to ethanol</b> A. A. Saleh, S. Watanabe, N. Annaluru, T. Kodaki and K. Makino	279–280
<b>Studies of DNA recognition mechanism of transcription factor IRF-4</b> K. Furuuta, I. Ishizaki, H. Fukada, K. Yamamoto, T. Matsuyama, M. Nomura, M. Mishima and C. Kojima	259–260	<b>Site-directed mutagenesis of a yeast gene for improvement of enzyme thermostability</b> N. Annaluru, S. Watanabe, A. A. Saleh, T. Kodaki and K. Makino	281–282
<b>Suppression of RUNX1 by siRNA in megakaryocytic UT-7/GM cells</b> Y. Okada, R. Nagai, E. Matsuura, Y. Hoshika, E. Nakata, H. Nagura, A. Watanabe, N. Komatsu and T. Doi	261–262	<b>Visible sensing of nucleic acid sequences using a genetically encodable unmodified mRNA probe</b> A. Narita, K. Ogawa, S. Sando and Y. Aoyama	283–284
<b>Studies on activity and interactions of human telomerase</b> X. Li, K. Tsutsumi, Y. Ohsako, H. Nishizuka, Y. Kurihara and S. Uesugi	263–264	<b>Mode of evolution of the satellite DNA from the bluegill sunfish <i>Lepomis macrochirus</i></b> K. Izumi, M. Ito, T. Uetsuki, A. Fujino and M. Kato	285–286
<b>Site-selective hydrolysis of huge DNA by artificial restriction DNA cutter</b> Y. Yamamoto, K. Miura and M. Komiyama	265–266	<b>Systematic deletion of rRNAs for investigating ribosome architecture and function</b> K. Kitahara, N. S. Sato, N. Namba, T. Yokota, T. Tsujimura and T. Suzuki	287–288
<b>Site-selective RNA scission by PNA-Lu(III) hybrid system</b> Y. Yamamoto, M. Kimura, M. Kato, A. Kuzuya and M. Komiyama	267–268	<b>Antisense activity of 2',4'-BNA targeted to <i>bcl-xL</i> gene in HepG2 cell</b> S. Roongjang, K. Takahashi, M. Park, S. Obika and T. Imanishi	289–290
<b>Inhibition of DNA polymerase <math>\eta</math> by oxetanocin derivatives</b> S. Izuta	269–270	<b>Regulation of cancer-related growth factor expression by artificial zinc-finger proteins</b> T. Mori, J. Sasaki, Y. Aoyama and T. Sera	291–292
		<b>Translation initiation by using various N-acylaminoacyl tRNAs</b> Y. Goto, H. Ashigai, Y. Sako, H. Murakami and H. Suga	293–294
		<b>Correlation of structure and activity of short hairpin RNA</b> S. Antoszczuk, K. Taira and Y. Kato	295–296

<b>Chemical natures and application of 6-formylpterin derivatives</b> M. Nonogawa, S. Piyanart, T. Arai, N. Endo, S. P. Pack, T. Kodaki and K. Makino	297–298	<b>Fabrication of Au-DNA-Au nanostructure with new-type DNA-Au conjugate</b> F. Pan, J. Sumaoka, T. Hirano, Y. Okutsu, O. Takeuchi, H. Shigekawa and M. Komiyama	317–318
<b>In vitro evolution of flexizymes that function under the conditions in translation system</b> M. Ohuchi, H. Murakami and H. Suga	299–300	<b>Design of ENA<sup>®</sup> gapmers as fine-tuning antisense oligonucleotides with sequence-specific inhibitory activity on mouse PADI4 mRNA expression</b> M. Takagi-Sato, S. Tokuhira, R. Kawaida and M. Koizumi	319–320
<b>Properties of novel antisense oligonucleotides containing 2'-O-modified adenosine with a photo-reactive group</b> M. Higuchi, T. Sakamoto, A. Kobori and A. Murakami	301–302	<b>Observation of DNA conformation changes by energy dissipation measurements on a quartz-crystal oscillator</b> H. Furusawa, T. Ozeki and Y. Okahata	321–322
<b>Estimation of DNA polymerase for improvement of rolling circle amplification</b> T. Yoshimura, S. Arikado and S. Ohuchi	303–304	<b>Production of circular form of streptavidin RNA aptamer <i>in vitro</i></b> S. Umekage and Y. Kikuchi	323–324
<b>Microwave assisted rolling circle amplification</b> T. Yoshimura, K. Nishida, K. Uchibayashi and S. Ohuchi	305–306	<b>Single-base mismatch recognition using partially double-stranded probes having various lengths</b> D. Ishii, K. Muraki, A. Kano, A. Yamayoshi and A. Maruyama	325–326
<b>Electrochemical detection of DNase I activity</b> K. Fujita, M. Kanazawa, K. Mukumoto, T. Nojima, S. Sato, H. Kondo, M. Waki and S. Takenaka	307–308	<b>Detection of the mature, but not precursor, RNA using a fluorescent DNA probe</b> K. Paiboonskuwong and Y. Kato	327–328
<b>Electrochemical SNP detection</b> S. Watanabe, K. Mukumoto, T. Nojima, M. Waki and S. Takenaka	309–310	<b>Controlling the expression ratio of two proteins by inserting a terminator between the two genes</b> T. Nojima, A. C. Lin, T. Yamamoto, I. Endo and T. Fujii	329–330
<b>Photoelectrochemical properties of pyrene modified DNA immobilized on gold electrode</b> N. Saito, K. Takayama, M. Nakamura and K. Yamana	311–312	<b>Molecular modeling of anti-parallel G-quadruplex DNA/TMPyP complexes</b> Y. Ishikawa, Y. Tomisugi and T. Uno	331–332
<b>Application of artificial zinc-finger proteins to inhibition of DNA replication of human papillomavirus</b> T. Mino, T. Mori, N. Matsumoto, Y. Mineta, T. Okamoto, Y. Aoyama and T. Sera	313–314	<b>Various properties of polymeric carriers improved the transfection efficiency</b> T. Hashimoto, A. Mahara, A. Kobori, A. Murakami and T. Yamaoka	333–334
<b>Development of molecular logic gates using the structural switch of telomere DNAs</b> M. Inoue, D. Miyoshi and N. Sugimoto	315–316	<b>Index</b>	335–337