

Development of an <i>N</i>-unprotected phosphoramidite method for the chemical synthesis of aminoacylated RNAs A. Ohkubo, Y. Noma, H. Taguchi, K. Seio and M. Sekine	1–2	DNA methylation analysis using metal complex formation A. Okamoto, K. Tanaka, K. Tainaka, T. Umemoto and A. Nomura	27–28
Chemical synthesis of a very long RNA oligomer, a 110mer precursor-miRNA candidate, with 2-cyanoethoxymethyl (CEM) as the 2'-<i>O</i>-protecting group H. Masuda, Y. Shiba, N. Watanabe, K. Takagaki, K. Ishiyama, T. Ohgi and J. Yano	3–4	Novel applications of locked nucleic acids R. N. Veedu, B. Vester and J. Wengel	29–30
Development of novel thioguanosine analogs with the ability to specifically modify cytidine K. Onizuka, Y. Taniguchi and S. Sasaki	5–6	Self-organization of polyaromatic compounds within DNA V. L. Malinovskii, H. Bittermann and R. Häner	31–32
Synthesis, duplex-forming ability and fluorescent property of oligoDNA bearing silylated fluorophore K. Shinozuka, T. Sekiguchi, Y. Ebara and T. Moriguchi	7–8	The photoreactivity of the caged precursors of oligonucleotides containing C4'-oxidized abasic site and reaction of the generated lesion K. Usui, M. Aso, M. Fukuda, Y. Toguchi and H. Suemune	33–34
Development of an unnatural base pair for efficient PCR amplification I. Hirao, T. Mitsui, M. Kimoto and S. Yokoyama	9–10	Synthesis and biological properties of pyrrole-imidazole polyamide conjugates M. Minoshima, S. Sasaki, J. Fujimoto, K.-I. Shinohara, T. Bando and H. Sugiyama	35–36
Construction of novel dye aggregates based on "comb-type" sequence H. Kashida, T. Fujii and H. Asanuma	11–12	Construction of supramolecular assemblies and self-organized structures using oligo-DNAs Y. Ohya, T. Nishi, T. Nohori, S. Jo, K. Ohta, K. Jozuka and T. Ouchi	37–38
The genetic code revisited — four decades after Francis Crick D. Söll	13–14	The impact of 8-aryl- and 8-heteroaryl-2'-deoxyguanosine derivatives on G-quadruplex formation V. Gubala, M. del C. Rivera-Sánchez, G. Hobley and J. M. Rivera	39–40
The various strategies of codon decoding in organisms of the three domains of Life: evolutionary implications H. Grosjean, C. Marck and V. de Crécy-Lagard	15–16	Aminoacyl-tRNA surveillance by EF-Tu in mammalian mitochondria A. Nagao, T. Suzuki and T. Suzuki	41–42
Property editing of peptide nucleic acids (PNA): gem-dimethyl, cyanuryl and 8-aminoadenine PNAs K. N. Ganesh, A. Gourishankar, R. Vysabhattar and P. Bokil	17–18	Molecular mechanism of <i>trans</i>-translation D. Kurita, T. Konno, K. Takada, A. Muto and H. Himeno	43–44
A new concept in double duplex DNA invasion by chiral PNAs which simultaneously depress PNA-PNA and improve PNA-DNA duplex stability S. Sforza, T. Tedeschi, R. Corradini and R. Marchelli	19–20	Kinetic analysis of the effects of translation enhancers in translation initiation S. Takahashi, H. Furusawa, Y. Shimizu, T. Ueda and Y. Okahata	45–46
Synthesis of peptide ribonucleic acid (PRNA)-DNA chimera and interaction with DNA and RNA T. Wada, Y. Maeda, N. Sawa, H. Sato, H. Chon, S. Kanaya and Y. Inoue	21–22	Chemistry of bisulfite genomic sequencing; advances and issues H. Hayatsu, K. Negishi, M. Shiraishi, K. Tsuji and K. Moriyama	47–48
Design of dual-labeled oligonucleotide probes for SNPs genotyping Y. Saito, S. S. Bag, S. Kodate, I. Suzuka and I. Saito	23–24	Nucleotide incorporation against 7,8-dihydro-8-oxoguanine is influenced by neighboring base sequences in TLS DNA polymerase reaction C. W. Yung, T. Suzuki, Y. Okugawa, A. Kawakami, D. Loakes, K. Negishi and T. Negishi	49–50
Recognition of triplex forming oligodeoxynucleotides incorporating abasic sites by 5-arylcytosine residues in duplex DNAs M. Mizuta, J.-I. Banba, T. Kanamori, A. Ohkubo, M. Sekine and K. Seio	25–26		

Base excision repair system suppresses mutagenesis caused by 8-hydroxy-dGTP in <i>Escherichia coli</i> T. Suzuki, K. Yamamoto, H. Harashima and H. Kamiya	51–52	Interactions with RNA/DNA of proteins involved in the regulation of transcription, translation and telomere elongation T. Ohyama, A. Furukawa, T. Miyoshi, Y. Takada, S. Ohgata, K. Hiratsuka, T. Imai, H. Okano, H. Nakagama, T. Nagata and M. Katahira	77–78
Functional reactivity of oxanine: its biological meanings and biotechnological applications S. P. Pack, A. Doi, N. K. Kamisetty, M. Nonogawa, T. Kodaki and K. Makino	53–54	Spectroscopic studies on a novel intramolecular hydrogen bond within the (6–4) photoproduct J. Yamamoto, Y. Tanaka, K. Hitomi, E. D. Getzoff and S. Iwai	79–80
Polymerisation of a DNA strand using oligo-DNA template with modified bases, sugars and phosphates J.-I. Nagashima, S. Minezaki, S. Obika, T. Imanishi, M. Kuwahara and H. Sawai	55–56	Chemical biology of DNA polymerases: from selectivity to new functions A. Marx, D. Summerer, K. B. M. Sauter, C. Gloeckner and N. Z. Rudinger	81–82
Amplification of 4'-thioDNA and its utility as a shRNA expression system N. Inoue, A. Shionoya, N. Minakawa, N. Ogawa and A. Matsuda	57–58	The chemistry and biology of RNA editing by adenosine deaminases P. A. Beal, O. Maydanovych and S. Pokharel	83–84
Chemical biology that controls DNA structure and function H. Sugiyama	59–60	Searching study for the suitable ferrocenylnaphthalene diimide derivative in the electrochemical telomerase assay S. Sato, K. Ohtsuka and S. Takenaka	85–86
Making oligonucleotide conjugates and breaking oligonucleotides S. Milton, M. Murtola, J. Sandbrink, E. Yeheskiely and R. Strömberg	61	Application of on-chip capillary electrophoresis to cell-free preparation of recombinant DNA T. Nojima, S. Kaneda and T. Fujii	87–88
Transition state analogue inhibitors of <i>N</i>-ribosyltransferases: new drugs by targeting nucleoside processing enzymes G. B. Evans, R. H. Furneaux, P. M. Kelly, V. L. Schramm and P. C. Tyler	63–64	Binding effect of the antitumor active dirhodium (II) compounds to plasmid DNA Md M. Rahman, H. Yasuda, K. Takashima and A. Mizuno	89–90
Metal ion promoted cleavage of RNA phosphodiester bonds: from Zn(II) aqua ion to artificial ribonucleases Q. Wang, T. Niittymäki, P. Virta, K. Ketomäki, S. Mikkola and H. Lönnberg	65–66	Gene regulation by decoy approach (II): development of photocross-linked oligonucleotides duplex as a decoy DNA for estrogen receptor A. Yamayoshi, N. Shimazu, M. Higuchi, A. Kobori and A. Murakami	91–92
Multivalent catalysts for the cleavage of nucleic acids and their models F. Manea, L. Pasquato, L. J. Prins and P. Scrimin	67–68	Reversible regulation of binding between a photoresponsive peptide and its RNA aptamer G. Hayashi, M. Hagihara, C. Dohno and K. Nakatani	93–94
Conformationally-2',4'-locked aza-ENA and carbocyclic <i>ribo</i>-thymidine J. Chattopadhyaya	69–70	Structure-based design of fluorescent biosensors from ribonucleopeptide complexes H. Hayashi, M. Inoue and T. Morii	95–96
The base-pairing ability of the base pair-mimic nucleosides S.-I. Nakano, K. Uenishi, M. Fujii and N. Sugimoto	71–72	SNPs typing based on the formation of fluorescent signaling DNA aptamers which bind to bile acids T. Kato, S. Kamoto, M. Hyuga and I. Karube	97–98
Effect of poly(L-lysine)-<i>g</i>-dextran copolymers on DNA hybridization L. Wu, N. Shimada, A. Kano and A. Maruyama	73–74	Aptameric enzyme subunit for homogeneous protein sensing W. Yoshida, K. Sode and K. Ikebukuro	99–100
Structural and physicochemical features on the metal-mediated base pairs Y. Tanaka, S. Oda, H. Yamaguchi, K. Haruta, T. Kawamura, Y. Kondo, T. Uchiyama, T. Miura, H. Takeuchi, H. Torigoe, C. Kojima and A. Ono	75–76	Animated crystallography of genetic code translation K. Tomita, T. Numata, T. Suzuki, S. Fukai, R. Ishitani and O. Nureki	101–102
		The chemistry of transcription through damaged DNA and of translesion synthesis at atomic resolution T. Carell, P. Cramer and K.-P. Hopfner	103

Small regulatory RNAs: biogenesis & functions Z. Mourelatos	105	Nucleoside <i>H</i> -boranophosphonates: synthesis and properties of a new class of nucleotide analogs R. Higashida, T. Kawanaka, N. Oka and T. Wada	133–134
Massively parallel synthetic sequencing of DNA on clonal arrays S. Balasubramanian	107	Synthesis of a guanosine phosphoramidite derivative containing a photocleavable protecting group at the O6 position via regioselective protection of the 2'-hydroxy group with a TBDMS group R. Iwase and T. Toyama	135–136
Design, synthesis, and biological activity of carbocyclic analogues of cyclic ADP-ribose, a Ca ²⁺ -mobilizing second messenger S. Shuto	109–110	Synthesis of novel fluorescent nucleoside bearing 3-aminobenzonitrile as a nucleobase H. Ozaki, T. Setaka, S. Tsuchiya, T. Kawai, M. Kuwahara and H. Sawai	137–138
<i>In vivo</i> antisense activity of ENA [®] oligonucleotides targeting PTP1B mRNA in comparison of that of 2'-MOE-modified oligonucleotides M. Koizumi, M. Takagi-Sato, R. Okuyama, K. Araki, W. Sun and D. Nakai	111–112	Synthesis of 4'-selenoribonucleosides Y. Inagaki, N. Minakawa and A. Matsuda	139–140
Inhibition of <i>bcl-xL</i> expression by antisense oligonucleotides containing various bridged nucleic acids (BNAs) S. Roongjang, K. Takahashi, S. Obika and T. Imanishi	113–114	Structure of 4'-thioDNA which exhibits endonuclease resistance A. Matsugami, T. Ohyama, M. Inada, N. Inoue, N. Minakawa, A. Matsuda and M. Katahira	141–142
<i>In situ</i> generation of aminoacyl-tRNAs assisted by ribozymes in translation apparatus M. Ohuchi, H. Murakami and H. Suga	115–116	Additive Pummerer reaction of 3,5- <i>O</i> -(di- <i>t</i> -butylsilylene)-4-thio-furanoid glycal and stereoselective synthesis of β -anomer of 4'-thioribonucleosides K. Haraguchi, H. Matsui, S. Takami and H. Tanaka	143–144
Versatility of borane nucleic acids mimics for coding, decoding and modulating genetic information B. R. Shaw	117	Synthesis of 5'-branched neplanocin A analogues based on radical-mediated sulfur-extrusive stannylation H. Kumamoto and H. Tanaka	145–146
Chemical synthesis and properties of stereoregulated phosphorothioate RNAs T. Wada, T. Kondo, S. Fujiwara, T. Sato and N. Oka	119–120	Synthesis of C8-alkylamino substituted 2'-deoxyguanosine Y. Saito, K. Matsumoto, S. S. Bag, S. Ogasawara, I. Suzuka and I. Saito	147–148
Fluoresensor proteins to detect specific DNA sequences in living bacteria S. Waki, K. Yoshitake, R. Iwasaki and H. Ueda	121–122	Clickable 2'- <i>O</i> -alkyladenosine building blocks M. Wenska, S. Milton and R. Strömberg	149–150
Location of the triplex DNA-binding domain of <i>Saccharomyces cerevisiae</i> Stm1 protein T. Katayama, N. Inoue and H. Torigoe	123–124	Functionalization of DNA by the base pair-mimic nucleosides H. Oka, S.-I. Nakano, Y. Uotani, K. Uenishi, M. Fujii and N. Sugimoto	151–152
Food restriction in pregnant mice can induce changes in histone modifications and suppress gene expression in fetus J. Sharif, M. Nakamura, T. Ito, Y. Kimura, T. Nagamune, K. Mitsuya and K. Okamura	125–126	Synthesis and properties of DNA duplexes containing cytosine analogs carrying phosphodiester functions A. T. M. Z. Azam, I. Okamoto and A. Ono	153–154
Photo inducible RNA interference using cell permeable protein carrier T. Endoh, M. Sisido and T. Ohtsuki	127–128	Synthesis and properties of a 2'-deoxy analogue of <i>trans</i> -3',4'-BNA with an S-type sugar conformation K. Sugaya, Y. Harada, Y. Mitsuoka, T. Osaki, S. Obika, T. Kodama and T. Imanishi	155–156
Short-step chemical synthesis of DNA by use of MMTrS group for protection of 5'-hydroxyl group M. Shiraishi, E. Utagawa, A. Ohkubo, M. Sekine and K. Seio	129–130	Synthesis and chemical properties of a novel 2',4'-bridged nucleic acid analogue with a seven-membered cyclic carbamate structure M. Nishida, T. Kodama, S. Obika and T. Imanishi	157–158
Development of a new method for the synthesis of oligodeoxynucleotides by use of carbamoyl-type protecting groups A. Ohkubo, R. Kasuya, K. Miyata, H. Taguchi, K. Seio and M. Sekine	131–132	Synthesis and evaluation of a novel 2',5'-bridged nucleic acid with sugar conformation fixed to S-type by <i>N</i> - <i>O</i> linkage T. Kodama, C. Matsuo, H. Orii, S. Obika, K. Miyashita and T. Imanishi	159–160

Effect of ENA modification of triplex-forming oligonucleotide on pyrimidine motif triplex formation H. Torigoe and N. Nagasawa	161–162	Design of salen-type Ni(II) complexes for recognition of DNA base sequence K. Takahashi, K. Fukiura, H. Arii and M. Chikira	189–190
Studies on DNA dynamics using 2- <i>N-tert</i> -butylaminoxypurines M. Aso, J. W. Mirc, M. Kurita, N. Koga and H. Suemune	163–164	Further stabilization of the double stranded DNA complex by naphthalene diimide derivative having 2,2-dipicolylamine-zinc complex S. Watanabe, K. Ohtsuka and S. Takenaka	191–192
Synthesis and properties of oligodeoxynucleotides incorporating 5-carboxydeoxycytidine M. Sumino, O. Itaru, A. Ohkubo, H. Taguchi, K. Seio and M. Sekine	165–166	Interaction with and cleavage of DNA by novel phenanthrolinepolyamine derivative T. Sasagase, T. Arai, M. Kuwahara, H. Ozaki and H. Sawai	193–194
Effects of cosolutes on the thermodynamic stability of parallel DNA duplex and triplex K. Nakamura, H. Karimata, T. Ohmichi, D. Miyoshi and N. Sugimoto	167–168	Ce(IV)-catalyzed site-selective DNA hydrolysis using Tris- and tetrakis(methylenephosphonate)-modified oligonucleotides T. Lönnberg, Y. Suzuki and M. Komiyama	195–196
Photoregulation of DNA hybridization by introducing an azobenzene: Molecular design for more stabilization of DNA duplex with <i>cis</i> -azobenzene than with its <i>trans</i> -form X. Liang, N. Takenaka, H. Nishioka and H. Asanuma	169–170	Gene manipulation of adenovirus vector by artificial restriction DNA cutter N. Shigi, K. Otani and M. Komiyama	197–198
Development of photoresponsive RNA towards photoswitching of RNA functions H. Itoh, H. Nishioka, X. Liang and H. Asanuma	171–172	Sequence-specific cleavage of human telomere DNA by G-quadruplex formation Y. Xu, Y. Hirohata and M. Komiyama	199–200
Reversible control of DNA hybridization by photoresponsive ligands S.-N. Uno, C. Dohno, M. Oku and K. Nakatani	173–174	Development of 2'-O-methyloligoribonucleotide and peptide nucleic acid based artificial ribonucleases M. Murtola and R. Strömberg	201–202
Chemistry of osmium-DNA complexes T. Umemoto, K. Tainaka, K. Tanaka and A. Okamoto	175–176	Development of site-specific artificial ribonucleases H. Takayama, S. Sakamoto, M. Kitamura and H. Inoue	203–204
Preparation and metal ion-binding of 4- <i>N</i> -substituted cytosine pairs in DNA duplexes K. Sugiyama, Y. Kageyama, I. Okamoto and A. Ono	177–178	Photocontrol of site-selective RNA scission K. Tanaka, Y. Yamamoto, A. Kuzuya and M. Komiyama	205–206
Preparation of DNA double helical structures containing both mercury and silver ions K. Yanagida, N. Hamochi, K. Sasano, I. Okamoto and A. Ono	179–180	Synthesis of a water soluble N-confused porphyrin and its interaction with nucleic acids S. Moriyama, Y. Ikawa and H. Furuta	207–208
Synthesis of DNA duplexes containing complexes of 5-modified pyrimidine bases and metal ions K. Iwamoto, K. Hayashi, Y. Watanabe, I. Okamoto and A. Ono	181–182	Nucleobase modified neamines, their synthesis and binding specificity for HIV TAR RNA K. Watanabe, T. Katou, Y. Ikezawa, S. Yajima, H. Shionoya, T. Akagi and K. Hamasaki	209–210
The specific interaction between two C:C mismatch base pairs and silver (I) cation H. Torigoe, T. Kozasa and A. Ono	183–184	Oligonucleotide transformation for the study of mutagenic specificities of DNA lesions in yeast K. Negishi, D. Sekine, T. Morimitsu, T. Suzuki, Y. Okugawa, A. Kawakami, C. Otsuka, H. Oyama and D. Loakes	211–212
The specific interaction between two T:T mismatch base pairs and mercury (II) cation H. Torigoe, Y. Miyakawa, T. Kozasa and A. Ono	185–186	Repair mechanism of DNA-protein cross-link damage in <i>Escherichia coli</i> T. Nakano, S. Morishita, H. Terato, S. Pil Pack, K. Makino and H. Ide	213–214
Synthesis of an enantiomeric DNA oligomer and its T-Hg ^{II} -T base-pair formation K. Haruta, Y. Tanaka, T. Kawamura, Y. Kondo, A. Ono, H. Yamakoshi, N. Kanoh and Y. Iwabuchi	187–188	The reactivity of compounds having cyclopropane ring as the reactive site of drugs with DNA bases T. Okajima	215–216

Syntheses and properties of low-polarity shape mimics of 8-oxopurines Y. Taniguchi and E. T. Kool	217–218	Molecular docking of porphyrins with cationic limbs on intramolecular G-quadruplex Y. Ishikawa, E. Higashi and H. Morioka	247–248
Site-selective strand cleavage at methylated cytosine: regional effect of naphthoquinone chromophore on the one-electron photooxidation of 5-methylcytosine and positive charge transfer in DNA H. Yamada, K. Tanabe and S. Nishimoto	219–220	Unfolding of tetraplex structure of mouse telomeric DNA by the interaction with mouse telomeric DNA binding protein Pot1 H. Torigoe and K. Kaneda	249–250
Analysis of complex DNA lesions generated by heavy ion beams H. Terato, R. Tanaka, Y. Nakaarai, R. Hirayama, Y. Furusawa and H. Ide	221–222	Conformational switch of a functional nanowire based on the DNA G-quadruplex H. Karimata, D. Miyoshi, T. Fujimoto, K. Koumoto, Z.-M. Wang and N. Sugimoto	251–252
Radiation-induced one-electron reduction of oligodeoxynucleotides possessing disulfide bond E. Kuraseko, K. Tanabe and S. Nishimoto	223–224	Influence of nucleoside analogue treatment on telomere length and TRF2 amount in human HL60 cells X. Liu, J. Liu, T. Ogawara, Y. Kurashina, R. Yashi, M. Saneyoshi and T. Yamaguchi	253–254
Metal-assisted proton transfer reaction in base pairs T. Matsui, Y. Shigeta and K. Hirao	225–226	Effective strand invasion by ODN incorporating a new bicyclic nucleoside analogue (WNA) E. Aoki, Y. Taniguchi and S. Sasaki	255–256
Chemical natures of 6-formylpterin nucleoside analogs M. Nonogawa, P. Sommani, T. Arai, N. Endo, S. P. Pack, T. Kodaki, Y. Kotake and K. Makino	227–228	Binding affinity of a peptide–nucleic acid containing pyrimido[4,5-<i>d</i>]pyrimidine-2,4,5,7-(1<i>H</i>,3<i>H</i>,6<i>H</i>,8<i>H</i>)-tetraone as a nucleobase for oligonucleotides T. Hirano, K. Kuroda, M. Kataoka and Y. Hayakawa	257–258
Development of novel oxygen-independent photosensitizers Z. Zhang, K. Haruna, T. Ito, H. Hatta and S. Nishimoto	229–230	Solid-phase synthesis and properties of chiral peptide nucleic acids bearing cationic side chains H. Harada, S. Funayama, Y. Shoji and T. Wada	259–260
Photochemical synthesis of R-shaped DNA via 5-cyanovinyldeoxyuridine M. Ogino and K. Fujimoto	231–232	Design of peptide nucleic acid by introduction of carbohydrate on lysine linker. A. Noguchi and H. Asanuma	261–262
Photochemical transition of 5-methylcytosine to thymine by DNA photoligation T. Matsumura, Y. Yoshimura and K. Fujimoto	233–234	Synthesis and evaluation of 2-pyrrolepolyamide-2'-deoxyguanosine 5'-phosphate E. Kawashima, Y. Nakanishi, Y. Terui, H. Tomitori, K. Kashiwagi, Y. Ohba and K. Kamaike	263–264
Parallel processable light-driven DNA logic gate S. Ogasawara, T. Ammi and K. Fujimoto	235–236	Sequence-specific alkylation by a tandem motif of pyrrole-imidazole CBI conjugate S. Sasaki, M. Minoshima, J. Fujimoto, K. Shinohara, T. Bando and H. Sugiyama	265–266
Effect of local structural disruption on the photochemical ligation between anthracene-modified DNA conjugates P. Arslan, T. Ihara, M. Mukae and A. Jyo	237–238	Synthesis of an artificial oligonucleotide by an efficient cycloaddition reaction T. Fujino, G. Marine, E. Nakamura and H. Isobe	267–268
Folding pathways of human telomeric hybrid G-quadruplex structure T. Mashimo and H. Sugiyama	239–240	Recognition of longer duplex DNA by cooperative strand invasion T. Sugiyama, Y. Imamura, M. Kurihara and A. Kittaka	269–270
The structural studies of human telomeric DNA using AFM Y. Xu and M. Komiyama	241–242	Promotion of PNA double-duplex invasion by glutaric dialdehyde Y. Miyajima, Y. Yamamoto and M. Komiyama	271–272
T-loop formation by human telomeric G-quadruplex Y. Xu, H. Sato, K. Shinohara, M. Komiyama and H. Sugiyama	243–244	Base and chain sense in d(CGCGCG)-BP and d(TATATATATA). Analysis of CD measurements and x-ray crystal data K. Grzeskowiak and H. Ohishi	273–274
Thermodynamics of dimerization of parallel quadruplex DNAs through the end-to-end stacking of 3'-terminal G-quartets N. Sakuma, M. Ozawa, S. Kawano, H. Mita, H. Hemmi and Y. Yamamoto	245–246		

Structure and excimer fluorescence of helical-pyrenearrays assembled on duplex RNA M. Nakamura, Y. Simomura, Y. Ohtoshi and K. Yamana	275–276	Fluorescence-based affinity labeling of nucleobase by hydrogen-bond forming metal complex K. Yoshimoto, H. Atsumi, S. Saito, M. Okuma, M. Maeda and Y. Nagasaki	303–304
Preparation of “comb-type” hetero aggregates by DNA-dye conjugation T. Fujii, H. Kashida and H. Asanuma	277–278	Detection of base pairing of an oxidatively damaged guanine using colloidal stability change of DNA-linked polymer micelles T. Takarada, E. Imaizumi, K. Kino, K. Yoshimoto, S. Ogasawara, N. Kanayama and M. Maeda	305–306
Development of high-sensitive DNA probe by using perylene H. Kashida, T. Takatsu and H. Asanuma	279–280	Dimerization-based homogeneous fluorosensor proteins for the detection of specific dsDNA K. Yoshitake, S. Waki and H. Ueda	307–308
Sensing of nucleic acid sequences using unmodified nucleic acid as a probe A. Narita, S. Sando and Y. Aoyama	281–282	Synthesis of naphthyridine-conjugated DNA probes and their application to SNPs typing A. Kobori, T. Mori, A. Yamayoshi and A. Murakami	309–310
Recognition of target chain-length by use of oligonucleotides having bulky substituents at the terminal bases Y. Takaku, M. Mizuta, A. Ohkubo, M. Sekine and K. Seio	283–284	Design and Synthesis of Hairpin Probe for Specific Mis-match Discrimination A. Misra, P. Kumar and K. C. Gupta	311–312
Specific detection of PCR product from <i>Legionella pneumophila</i> strain Philadelphia1 using zinc finger protein Sp2 K. Ikebukuro, T. Kumagai, H. Motoki, Y. Osawa, T. Matuo, M. Horiuchi and K. Sode	285–286	Strong binding of naphthyridine derivatives to cytosine in an AP site-containing DNA duplex and their application to fluorescence detection of single nucleotide polymorphisms Y. Sato, T. Seino, S. Nishizawa and N. Teramae	313–314
Detection of one base mismatch using photochemical ligation M. Mukae, M. Tabara, P. Arslan, T. Ihara and A. Jyo	287–288	Development of a specific fluorescent probe for 8-oxoguanosine S. Ono, Z. Li, Y. Koga, A. Tsujimoto, O. Nakagawa and S. Sasaki	315–316
Probing the mutation spectrum in <i>E. coli</i> T. Suzuki, K. Suzuki, Y. Tashiro, K. Saito and D. Umeno	289–290	Electrochemical properties of anthraquinone-capped DNA-hairpins immobilized on gold surface M. Nakamura, M. Ueda, S. Watanabe, S. Kumamoto and K. Yamana	317–318
RNA analysis with a novel fluorescent oligonucleotide T. Kubota, S. Ikeda and A. Okamoto	291–292	Photocurrent responses from pyrene-modified RNA duplexes on gold surface K. Maie, M. Nakamura and K. Yamana	319–320
Synthesis and properties of a novel molecular beacon containing a benzene-phosphate backbone at a stem moiety Y. Ueno, A. Kawamura, T. Kato and Y. Kitade	293–294	Electrochemical biosensors based on DNA strand exchange M. Watanabe, J. Yoshizumi, S. Kumamoto, M. Nakamura, A. Maruyama and K. Yamana	321–322
Electrochemical and fluorescence detection of cytosine-related SNPs using a ferrocenyl naphthyridine derivative K. Morita, Y. Sato, T. Seino, S. Nishizawa and N. Teramae	295–296	Electrochemical RNase detection using ferrocenylnaphthalene diimide M. Kanazawa, S. Sato, K. Ohtsuka and S. Takenaka	323–324
Fluorescence emission detection of single-nucleotide polymorphisms by a naphthyridine-benzofurazan conjugate H. Satake, S. Nishizawa and N. Teramae	297–298	Effective two-color SNP typing based on photoligation T. Ami and K. Fujimoto	325–326
Selective oxidation of methylcytosine in single base pair mismatches by osmium complex A. Nomura, K. Tainaka and A. Okamoto	299–300	Development of stable DNA microarray platforms suitable for quantitative analysis N. K. Kamisetty, S. P. Pack, M. Nonogawa, K. C. Devarayapalli, Y. Yoshida, K. Yamada, T. Kodaki and K. Makino	327–328
Photochemical properties of novel fluorescent probes for detection of DNA S. Ikeda and A. Okamoto	301–302	Construction of DNA microarray on glass surface using efficient heterobifunctional reagent A. Misra, P. Dwivedi and M. Shahid	329–330

A robust DNA framework for single molecule observation with atomic force microscope A. Kuzuya and M. Komiyama	331–332	Hetero subunit interaction and RNA recognition of yeast tRNA (m⁷G46) methyltransferase synthesized in a wheat germ cell-free translation system Y. Muneyoshi, K. Matsumoto, C. Tomikawa, T. Toyooka, A. Ochi, T. Masaoka, Y. Endo and H. Hori	359–360
Synthesis of aminated poly(1-vinylimidazole) for a new pH-sensitive DNA carrier S. Asayama, T. Sekine, H. Kawakami and S. Nagaoka	333–334	Exploration of incorporation of N^α-methylated amino acids into peptides by sense-suppression method T. Kawakami, H. Murakami and H. Suga	361–362
SAXS measurement of aggregate of DNA modified gold nanoparticles S. Yamakoshi, Y. Sakai, Y. Shinohara, Y. Amemiya, N. Kanayama, T. Takarada, M. Maeda and K. Ito	335–336	N-terminal specific fluorescence labeling of proteins through four-base codon-mediated incorporation of fluorescent hydroxy acid T. Watanabe, Y. Miyata, R. Abe, N. Muranaka and T. Hohsaka	363–364
Point mutation assay by affinity capillary electrophoresis using poly(ethylene glycol)-oligodeoxyribonucleotide block copolymers A. Kimura, T. Takarada, N. Kanayama, H. Shibata and M. Maeda	337–338	Intermolecular transfer of aminoacylated adenosine towards chemical aminoacylation of tRNA M. Liu, H. Jinmei, K. Fukuzono, H. Abe and Y. Ito	365–366
Novel analysis for single nucleotide polymorphism using cationic comb-type copolymers N. Shimada, K. Muraki, T. Anai, A. Kano and A. Maruyama	339–340	Determination of phenylalanine tRNA recognition sites by phenylalanyl-tRNA synthetase from hyperthermophilic archaeon, <i>Aeropyrum pernix</i> K1 W. Tsuchiya, M. Kimura and T. Hasegawa	367–368
Structural characterization of supercoiled DNA containing a minisatellite repeat that has polypurine/polypyrimidine stretch M. Kato, T. Haku, T. Yamauchi, S. Sugiyama, K. Nagayama and N. Shimizu	341–342	<i>Thermus thermophilus</i> tmRNA and trans-translation K. Takada, C. Takemoto, M. Kawazoe, M. Shirouzu, S. Yokoyama, A. Muto and H. Himeno	369–370
Characteristics of compacted plasmid DNA by high pressurization T. Kimura, K. Horiuchi, K. Kurita, T. Ono, H. Yoshizawa, T. Fujisato and A. Kishida	343–344	Mutational analysis on the S-domain of bacterial ribonuclease P ribozyme T. Tanaka and Y. Kikuchi	371–372
Modulation of endogenous VEGF-A expression by artificial transcription factors T. Mori, J. Sasaki, Y. Aoyama and T. Sera	345–346	Hydroxyl radical probing of tRNA (Gm18) methyltransferase [TrmH]-AdoMet-artificial tRNA ternary complex A. Ochi and H. Hori	373–374
Cooperative regulation of p73 promoter by Yin Yang 1 and E2F1 S. Wu, S. Murai, K. Kataoka and M. Miyagishi	347–348	Interaction between RsgA and the ribosome T. Kimura, K. Takagi, H.-S. Kyoko, L. Kalachnyuk, A. Muto and H. Himeno	375–376
Effective photoregulation of gene expression by photoresponsive T7 promoter X. Liang, R. Wakuda, Y. Tsuda, H. Nishioka and H. Asanuma	349–350	Molecular switch in tandem winged-helix motifs of elongation factor SelB N. Soler, D. Fourmy and S. Yoshizawa	377–378
Unexpected efficient <i>ab initio</i> DNA synthesis at low temperature by using thermophilic DNA polymerase X. Liang, T. Kato and H. Asanuma	351–352	<i>In vitro</i> selection of a 5'-purine nucleotide transferase ribozyme T. J. Kang and H. Suga	379–380
Multiple chemical ligation under thermal cycle Y. Kondo, H. Abe, H. Jinmei, N. Abe, K. Aikawa, I. Matsumoto and Y. Ito	353–354	Re-engineering an <i>in-vitro</i> evolved ribozyme. S. B. Pattnaik and H. Suga	381–382
Enzymatic and chemical synthesis of isodeoxynucleic acid (INA) and its properties T. Ogino, N. Inoue, K. Sato and A. Matsuda	355–356	Ligand-induced translation by the allosteric ribosome bearing an aptamer-fused rRNA T. Yokoyama and T. Suzuki	383–384
Enzymatic incorporation of 2-amino-6-vinylpurine derivative S. Imoto, Md. M. Ali, Y. Li, S. Sasaki and F. Nagatsugi	357–358	Magnesium binding sites of the active conformation pf Hammerhead ribozyme M. Amano (Institute for Protein Research)	385–386

Design and analysis of a structural RNA that acts as a template for peptide ligation N. Kashiwagi, H. Furuta and Y. Ikawa	387–388	Studies on RNA-protein interactions and enzyme activity by mutational analysis of telomerase Y. Ohsako, K. Tsutsumi, X. Li, Y. Kurihara and S. Uesugi	419–420
Development of a new-type riboswitch using an aptazyme and an anti-RBS sequence A. Ogawa and M. Maeda	389–390	Controlling a substrate-binding geometry of ribonucleopeptide receptor M. Fukuda, S. Nakano and T. Morii	421–422
Production of circular streptavidin RNA aptamer <i>in vivo</i> S. Umekage and Y. Kikuchi	391–392	Construction of ribonucleopeptide-based fluorescent sensors for biologically active amines T. Hasegawa, H. Hayashi and T. Morii	423–424
Isolation of RNA aptamers specific for the HCV minus-IRES domain I K. Konno, S. Nishikawa, T. Hasegawa and K. Fukuda	393–394	A facile method for the detection of RNA-polypeptide interactions by MALDI-TOF mass spectrometry M. Sugaya, K. Harada and A. Katoh	425–426
Slight sequence modifications unexpectedly alter the metal-dependency of a kissing-loop interaction S. P. Ohuchi and Y. Nakamura	395–396	Development of protein-based antiviral drugs for human papillomaviruses T. Mino, T. Mori, Y. Aoyama and T. Sera	427–428
Detection of structural changes of RNA aptamer containing GGA repeats under the ionic condition using the microchip electrophoresis F. Nishikawa, K. Murakami, K. Noda, T. Yokoyama and S. Nishikawa	397–398	Inhibition of tomato yellow leaf curl virus replication by artificial zinc-finger proteins K. Takenaka, Y. K.-Kimura, Y. Aoyama and T. Sera	429–430
Selection and characterization of DNA aptamers against VEGF₁₆₅ with aptamer blotting method and its application K. Ikebukuro, H. Hasegawa and K. Sode	399–400	Synthesis and evaluation of 9-deazaguanine derivatives as multi-substrate analogue inhibitors of PNP M. Hashimoto, S. Hikishima, L. Magnowska, A. Bzowska and T. Yokomatsu	431–432
Construction of target molecule sensing system using aptameric enzyme subunit based on PQQGDH activity K. Ikebukuro, Y. Morita, W. Yoshida and K. Sode	401–402	Proteome and transcriptome analysis of cell death induced by 5-fluoro-2'-deoxyuridine A. Sato, E. Miyazaki, A. Satake, A. Hiramoto, O. Hiraoka, T. Miyake, H.-S. Kim and Y. Wataya	433–434
Selection of DNA aptamers that inhibit enzymatic activity of PQQGDH and its application K. Ikebukuro, M. Takase and K. Sode	403–404	A novel apoptotic pathway of 3'-Ethynylcytidine(ECyd) involving the inhibition of RNA synthesis – The possibility of RNase L activated pathway as a target of ECyd – T. Naito, T. Yokogawa, H.-S. Kim, A. Matsuda, T. Sasaki, M. Fukushima, Y. Kitade and Y. Wataya	435–436
N-terminal binding site in the human toll-like receptor 3 ectodomain T. Watanabe, T. Tokisue, T. Tsujita, M. Matsumoto, T. Seya, S. Nishikawa, T. Hasegawa and K. Fukuda	405–406	Anti-angiogenic activities of nucleosides and nucleotides and their structure-activity relationship I. Tsukamoto, R. Konishi, Y. Kubota, M. Tokuda, N. Sakakibara and T. Maruyama	437–438
Enhancement of gene silencing potency and nuclease stability by chemically modified duplex RNA T. Kubo, Z. Zhelev, R. Bakalova and H. Ohba	407–408	Suppression of subgenomic hepatitis C virus replication by 5'-O-masked analogues of 6-chloropurine-2'-deoxyriboside M. Ikejiri, T. Ohshima, K. Kato, M. Toyama, T. Murata, K. Shimotohno and T. Maruyama	439–440
Expression of shRNA using intron splicing K. Noguchi, Y. Ishitu, N. M.-Kurosaki and H. Takaku	409–410	Antisense activity of 2',4'-BNA targeted to PPAR gamma in THP-1 and HCT116 cells K. Tachibana, T. Katayama, C. Ueda, M. Sumitomo, M. Tagami, K. Ishimoto, D. Yamasaki, T. Tanaka, T. Hamakubo, J. Sakai, T. Kodama, S. Obika, T. Imanishi and T. Doi	441–442
Non-sequence specific RNA inhibition of HIV-1 replication K. Kato, Y. Habu and H. Takaku	411–412	Selective regulation of mutant K-ras mRNA expression by photo-cross-linking antisense oligonucleotide M. Higuchi, A. Yamayoshi, A. Kobori and A. Murakami	443–444
Delivery of dsRNA with lactic acid bacteria for RNA interference A. Kuwahara, M. Arita, M. Sisido and T. Ohtsuki	413–414		
Regulatory interaction of HNF-1α to microRNA-194 gene during intestinal epithelial cell differentiation K. Hino, T. Fukao and M. Watanabe	415–416		
2'-O-methyl modification in mouse piRNAs and its methylase Y. Kirino and Z. Mourelatos	417–418		

Differences in substrate selectivities of the SPOUT superfamily of methyltransferases T. Toyooka and H. Hori	445–446	Elastic motion of RecA filaments and its role in recombination T. Nishinaka, Y. Doi, R. Hara and E. Yashima	457–458
Structural comparison analysis of 2H phosphodiesterase family proteins Y. Sakamoto, N. Tanaka, T. Ichimiya, T. Kurihara and K. T. Nakamura	447–448	Characterization of <i>Nocardia</i> β-1,3-glucanase with additional carbohydrate-binding domains N. Koizumi, Y. Isoda, K. Maeda, S. Masuda, G. Fibriansah, T. Kumasaka, R. Yatsunami, T. Fukui and S. Nakamura	459–460
Synthesis of 2',5'-oligoadenylate analogs possessing a linker moiety in the place of the second adenosine and their ability to activate human RNase L T. Nakamura, Y. Ito, M. Mochizuki, Y. Ueno and Y. Kitade	449–450	Contribution of salt bridges to alkaliphily of <i>Bacillus</i> alkaline xylanase H. Umemoto, Ihsanawati, M. Inami, R. Yatsunami, T. Fukui, T. Kumasaka, N. Tanaka and S. Nakamura	461–462
Comparison of enzymatic recognition of DNA-duplexes containing NO-induced lesions by DNA-relevant enzymes A. Doi, S. P. Pack, M. Nonogawa, T. Kodaki and K. Makino	451–452	Molecular characterization of low-temperature-inducible <i>NTR-C</i> in <i>Chlorella vulgaris</i> T. Machida, E. Kato, A. Ishibashi, N. Ohashi, K.-I. Honjoh and T. Miyamoto	463–464
Monitoring of Eco RI-catalyzed cleavage reaction of fluorescent-labeled heterochiral DNA H. Urata, C. Tamaki, M. Matsuno, S. Wada and M. Akagi	453–454	Effect of N-terminal mutation of human lysozyme on enzymatic activity Y. Tsuchiya, K. Morioka, K. Yoshida, J. Shirai, T. Kokuho and S. Inumaru	465–466
Relationship between asymmetrical gene distribution on DNA strands and phylogeny in cytoplasmic organelles and elements (1) A. Tujiyama, M. Takematsu and K. Yoshida	455–456	Index	467–470